



## PERFIL PARA IMPRESIÓN LÁTEX

Para tintas de latex tenemos estos "settings" para la version L25500:

RIP Onyx 10

Load as: Self-Adhesive

Print Mode: 16 passes bidi

InkLimit: High

Drying temperature: 55 °C

Curing temperature: 110 °C

Airflow: 45 %

OMAS: Enable

Cutter: Enable

Tension: 15 N/m

Vaccum: 25 mmH20

WUDTO: 5 °C

WUCTO: 0 °C

CDDTO: 0 °C

CDCTO: 0 °C

Pmin: 1.0 kW